

S·E·V·E·N·T·Y



STANDARD EQUIPMENT

ENGINE & PROPULSION

Fully sound and heat insulated engine room
Dual filters – main engines
Engine hour meter
Engine synchronizer
Alternators
External sea strainers
Automatic fire extinguisher system
in engine room
Automatic bilge pumps
Fiberglass mufflers
Fresh water spigot in engine room
Engine room blowers
Engine room fans
Sea valves – ball type, on all underwater
through-hull fittings
Shafts – Aquamet 22
Stainless steel rudders
Bronze struts with bearings
Propellers (2)
Trim tabs with controls on flybridge
Electric oil exchange system – engines,
transmissions and generator
Heat recovery bottles –
engine and generator
Fuel filter priming pump
Fuel crossover pump
Anti-fouling bottom paint
Awlgrip engine room

ELECTRICAL SYSTEM

*Generator, 32.0 KW – fresh water cooled
Heavy duty batteries with
automatic battery chargers
Fuel filter on generator
Dyna plate ground system
Shorelines (2) – 240V-50A
with automatic cord reel and
twin ISO boost transformers

Electrical outlets – 120V duplex
Electrical control and distribution panels
with circuit breakers, voltmeters and
battery condition indicator
Zoned air conditioning with
twin chillers
Zinc anodes
SSB radio ground screen

LIGHTING SYSTEM

Navigation lights
Cockpit courtesy lighting
24V and 110V fixtures/receptacles
Overhead lights
Reading bunk lights
Closet lights
Engine room lights – 24V and 110V
Back lighting on electrical center panel
and flybridge instruments

WATER SYSTEM

Hot water heater
Washer and dryer
Pressure water system – 240V
Shower sump pump – 24V automatic
Faucets
Central main drain aft eliminates
most side through-hull fittings
Vacu Flush toilet system
Dockside water connections and
fresh water spigot
Holding tank

DECK & OUTFITTING

Handrails – aluminum
Docklines – 40' nylon (6)
Cleats, 12" stainless – stern (2), bow (2)
and springline (4)

Hawse pipes (2)
Cabin door hooks
Forward deck hatch
Fenders
Cockpit boarding step box
First quality teak solids and trim
White side window handrails

SAFETY & NAVIGATION

Anchor – 85 lb.
Anchor line – 300' with 10' chain lead
Air horns – deluxe
Fire extinguishers – 2 1/2 lb. portable (4)
and 5 lb. (1)
Fire and smoke detectors (5) – interconnected
First aid kit
Life jackets – Type 1 (8) and 20" ring buoy (1)
Olin flare kit
Bow rail – aluminum
Bridge rail with ladder – aluminum
VHF radio with antenna
Compass – flush mount
Fuel shutoff valves – quick action ball type
Seacocks – quick action ball type on
all through-hull fittings below waterline
Bilge pumps – automatic
Hydraulic power steering
Electronic controls with trolling valves
Engine alarm system
High bilge water alarm
Bonding throughout

**Generator is not intended to supply
power for all standard and optional
accessories. Load must be limited to
generator output rating.*

STANDARD ACCOMMODATIONS

COCKPIT

Molded fiberglass – self-bailing
Rod holders (4)
Cockpit side lockers
Tackle locker
Transom live baitwell
Refrigerated fish box with pump
Transom gate and hinged stern door
Door to engine room
Boarding step
Lights in overhang
Seawater washdown
Freshwater washdown
Bait center with freezer, sink
and bait cutting board
Tinted aft salon window and door

ENCLOSED FLYING BRIDGE (Standard)

Fully enclosed fiberglass bridge with
entry door, windows, windshield wipers,
air conditioning, ladder, safety rail and
storage lockers
Lounge seating with table
Color TV/VCR combo

Fully instrumented forward control station
Adjustable Stidds helm chair
Double-wide companion seat on storage box
Upgraded carpeting
Headliner
Upholstered valances
Phone jack
Extended aft hardtop overhang
Outside steering station with
electronic controls
All wiring with circuit breakers
for electronics
Weatherproof duplex outlet – 120V
Wet bar with refrigerator, icemaker
and storage
Spreader lights
Courtesy lighting
Lewmar hatches in hardtop (2)

OPEN FLYING BRIDGE (Optional)

Fiberglass molded bridge with ladder,
safety rail and storage lockers
Custom fiberglass hardtop with three-sided
EZ2CY enclosure, (2) molded-in teaser
reels, and spreader lights

International chairs (2) – helm, with
starboard companion
Wrap-around seating with sleeping area
and rod storage
Teak pod-style helm with large drop-in
electronics box and storage
Refrigerator
All wiring with circuit breakers for electronics
Weatherproof duplex outlet – 120V

SALON

Carpet runner
Teak paneled bulkheads
Aluminum sliding door with lock
Upgraded carpeting
Designer sofa with rod storage
Custom table – high-low, hi-gloss
Wet bar with icemaker and storage
Spiral staircase to bridge (enclosed F/B only)
Bose Lifestyle stereo system
Color TV with remote and antenna
DVD with remote
Designer decor selection
Central vacuum system
Upholstered chairs (2)



STANDARD ACCOMMODATIONS

Zoned air conditioning
 Headliner
 Silhouette blinds
 Valance boards and panels
 Dinette
 Tinted safety glass
 Sea phone with inlet, cord and jacks (4)
 24V and 110V lighting
 Engine access hatches
 Push-button hardware

GALLEY

Dishwasher
 Convection/microwave oven with fan
 Water tank level gauge
 Trash compactor
 Instant hot water faucet
 Range - 4 burner, 220V with oven
 Refrigerator and freezer - 120V
 Custom-tile flooring
 Duplex electrical outlets
 Spacious drawers and cabinets
 Corian® counter top and sink

MASTER STATEROOM

King berth
 Upgraded carpeting
 Mattress - innerspring
 Set of fitted sheets (1)
 Bedspread and shams (2)
 Pillows (2)
 Light fixtures - 24V and 120V
 Full length mirror
 Nightstands with drawers
 Headliner

Drawers for clothes storage
 Overhead cabinets
 Hanging locker
 Bose stereo system
 Air conditioning
 Color TV with VCR
 Vanity with stool
 Phone jack
 Teak panel entrance door

VIP STATEROOM

Queen berth
 Bedspread and shams (2)
 5" innerspring mattress
 Set of fitted sheets (1)
 Upgraded carpeting
 Light fixtures - 24V and 120V
 Nightstands (2)
 Vanity with stool
 Hanging locker
 Headliner
 Drawers for clothes storage
 Overhead cabinets
 AM/FM stereo with CD
 Color TV with VCR
 Air conditioning
 Telephone jack

GUEST & CREW STATEROOM

Upgraded carpeting
 Headliner
 Twin flex berths with 5" polyfoam
 mattresses and covers - covers to
 full size single berth (Guest)
 Over/under bunks (Crew)

Set of fitted sheets (1)
 Quilted mattress covers and shams (2)
 Light fixtures - 24V and 120V
 Teak panel entrance door
 Hanging locker
 Drawers for clothes storage
 Color TV/VCR combo (Guest)
 Vanity with stool (Guest)
 Full length mirror (Guest)

MASTER & GUEST HEADS

Vinyl wall covering
 Custom-tile flooring
 Headliner
 Corian® countertop
 Stall shower with door and
 automatic sump pump
 Bathtub (Master)
 Medicine cabinet with mirror
 Set of towels (1)
 Linen storage
 Exhaust blower
 Designer towel bars and fixtures
 Vacu Flush heads
 Light fixtures - 24V and 120V
 Duplex outlets - 120V
 Teak panel entrance door
 Overhead screened hatch
 Macerator pump

UTILITY CENTER

Washer and dryer
 Freezer
 Storage

OPTIONAL EQUIPMENT

ELECTRICAL

- 24V bow thruster \$12,900.00
- Outlet - extra 110V duplex, TV outlet, phone jack . . . 125.00
- Dual 15 K.W. generators with sound shield
 (in lieu of standard) 10,825.00

ELECTRONICS

- Transducer - customer supplied (no fairing block) 360.00
- Transducer - customer supplied (with fairing block) 900.00

DECK & OUTFITTING

- Swim platform 3,000.00
- Swim ladder - 2-step folding 550.00
- Full cockpit cover - Dacron 2,100.00
- Teak cockpit 11,500.00
- Teak coverboards 3,600.00
- Spare props 20,000.00
- Emergency bilge valves ea. 950.00
- Lewmar Concept III windlass (with pulpit option only) 4,750.00
- Bow pulpit and rail 3,000.00
- Eskimo icemaker 12,500.00

FISHING EQUIPMENT

- Rod holders - flush mount extra ea. 105.00
- Rupp center rigger 950.00
- Rupp riggers with triple box spreaders, F.B. release
 with 41' poles (pair) 7,275.00

FLYING BRIDGE

- Boat name on bridge sides 300.00
- Bridge stripe with feature stripe 850.00
- Additional Lewmar hatch in hardtop 950.00
- Aft enclosure (open flybridge model) Call for Quote

SALON & INTERIOR

- Full clear salon cover 1,280.00
- Steps and companionway runner 850.00
- Install standard VHF radio in salon 150.00
- Maple Interior 26,500.00


INTERIOR DECOR

- Accessory package Call for Quote

DELIVERY PREPARATION

- Cost of fuel at time of delivery

*Optional equipment prices valid on boats completed
 at the Ocean Yachts factory no later than July 31, 2002.*



**70 SUPER SPORT
BRIDGE**



SPECIFICATIONS

Effective August 1, 2001

Length70'0"	21.33 m
Beam19'8"	6.0 m
Draft5'0"	1.52 m
Freeboard, Bow7'2"	2.18 m
Freeboard, Stern3'8"	1.10 m
Headroom, most areas6'6"	1.98 m
Fuel Capacity [†]1,865 gal.	7,059 l
Water Capacity [†]370 gal.	1,400 l
Displacement112,000 lb	50,803 kg
Height (waterline to top of hardtop)18'4"	5.59 m
Sleeping Capacity9	

Twin CAT 1400 BHP (3412E) Diesels
 Twin DDC/MTU Series 2000 12V (1480 BHP) Diesels
 Twin DDC/MTU Series 2000 16V (1800 BHP) Diesels

[†]Capacities of tanks are estimates and useable volume will vary depending upon installation requirements and conditions.



No other marine engine of similar size matches the new 3412E's maximum power curves throughout the critical 1200-2200 rpm

acceleration zone. Caterpillar's patented Hydraulically-Actuated, Electronically-Controlled Unit Injector (HEUI) fuel system is responsible for much of this extraordinary power development.

The large displacement, jet smooth, economical 3412E is by far the engine of choice worldwide for the large boat owner.



TEST RESULTS

Twin CAT 1400 BHP (3412E) Diesels
 43" x 58" Nibral prop, 3:1 reduction

RPM	MPH	KNOTS	GPH	MPG	NMPG	SM range	NM range	DB
750	0.3	8.9	6	1.71	1.49	2,867	2,493	57
1000	13.0	11.3	22	0.59	0.51	992	862	58
1250	16.7	14.5	46	0.36	0.31	608	528	61
1500	23.9	20.8	58	0.41	0.36	692	601	61
1750	29.2	25.3	80	0.36	0.32	612	532	61
2000	34.2	29.7	106	0.32	0.28	541	470	66
2250	38.2	33.2	142	0.27	0.23	452	393	67
2280	39.7	34.5	148	0.27	0.23	450	391	69

POWER & MOTORYACHT Test Conditions:

Temperature: 78°; humidity:61%; wind: 10-12 mph; seas 1'-2';
 load: 1,500 gal. fuel, full water, 4 persons, moderate gear.
 Speeds are two-way averages measured with Stalker radar gun.
 GPH measured with Catvision electronic fuel monitoring system.
 Range: 90% of advertised fuel capacity.
 Decibels measured on A scale. 65 dB is the level of normal conversation.
 Speeds and performance may vary with conditions.



The Best Part Of Life Is Spent On An OceanSM

Ocean Yachts, Inc., PO Box 312, Egg Harbor City, New Jersey 08215 • 609-965-4616 • FAX 609-965-4914 • www.oceanyachtsinc.com

Fuel extra. Lettering of transom with original order. Photographs and floorplans may contain options or other features not covered by the base price.

Ocean Yachts reserves the right to make changes to its standard or optional equipment list or to what is shown in visual representations of its models in advertising and sales materials.

Ocean Yachts may do so at any time and without prior notice. Ocean Yachts also reserves the right to make such changes without incurring any obligations to equip or modify models manufactured prior to the effective date of such change.